


# SEED & FERTILIZER SPREADERS



HIGHLY ACCURATE

EXTREMELY VERSATILE



**Advanced Seed**, an Australian owned company, specializes in the wholesale supply of grass seed. The business has origins in Australia as far back as 1850, although the company in its current form has been operating for four years. Our warehousing, blending and packaging facility is located in Reservoir, Victoria. Advanced Seed specialises in providing quality seed products, advice and support to distributors and dealers.

We provide products and support in the following areas:

- > Turf seed for professional applications;
- > Packaged lawn seed for retail distribution; and,
- > Pasture Seed for merchandising;
- > Seed and turf related products.

Advice is available from two experienced representatives, Rick Pullman and Mick Ahearn.

Advanced Seed focuses on consistent, reliable, high performance products, with the right technical support. Quality Systems ensure our products are of the highest quality and are produced efficiently and in a timely manner. Advanced Seed is a member of the Australia Seed Federation and adheres to the ASF Code of Practice.


**EarthWay Products** was established in 1965 and is a family owned company based in North Central Indiana. EarthWay engineers and manufactures high quality Lawn and Garden products used by homeowners and professionals worldwide.

EarthWay Ev-N-Spred® brand of products is recognized as the industry leader in spreading technology and quality . The EarthWay Ev-N-Spred® line of products has earned the loyalty of our retail sales network through the repeat sales of satisfied consumers. EarthWay Ev-N-Spred® broadcast spreaders can be found at many of the finest sports complexes and homes around the world.

---

## HIGHLY ACCURATE

Accurate spread pattern is so important when using a spreader. Earthway spreaders achieve this with their *EV-N-SPRED Spread Pattern* methodology. This ensures commercial and professional spreaders accurately spread all types of material.



Spread Pattern as seen from pushing or towing side of spreader, looking into hopper.

Each drop hole in the base of the hopper has a corresponding  $\frac{1}{3}^{\text{rd}}$  coverage area with a feathered-edge. The spread pattern can be adjusted for all weights and sizes of materials by using the right and left side variable coverage ports shown with stripes and squares. These ports can be closed to effectively balance the spread pattern, giving equal amounts of material across the 180° pattern without compromising spread width or application rate. Test all material prior to beginning spreading job.

## EXTREMELY VERSATILE

*ADVANCED SEED* are distributing 8 models of the extensive Earthway range. There is a model to suite all category of end user in from home garden turf and hobby farm use to professional turf managers.



## ***Model 1950*** **BROADCAST SPREADER**

Fully assembled  
200mm deep lug poly wheels roll easily over the roughest lawns  
Large capacity poly hopper  
High-speed gearbox for larger spread patterns  
Flow control located high on the handle for convenience  
Exclusive Ev-N-Spred 3-hole drop system



## ***Model 2050SU*** **BROADCAST SPREADER**



Fully assembled  
High Volume - up to 35 kg  
Large 250mm heavy-duty poly wheels for the roughest of lawns  
Rate control located high on the handle for precise settings  
Commercial quality gearbox with enclosed gears

## ***Model 7300SU*** **DROP SPREADER**

Large 30 litre capacity rustproof hopper will hold up to 26kg of fertilizer  
Rate setting control located high on the handle for precise adjustment  
Wide 500mm drop spread pattern  
Large 250mm poly wheels  
Fully assembled in the box with full size folding handle for instant use



## 2050P BROADCAST SPREADER



## ***Model 2170*** **BROADCAST SPREADER**

High volume 55 litre capacity hopper will hold up to 50Kgs of fertilizer and includes a hopper screen.

Rate control setting located high on handle for precise adjustments.

Height adjustable handle with 3 positions and cushion grip for hours of comfortable use.

Solid direct connect linkage for positive flow control, accurate calibration and low maintenance.

Heavy-duty frame has 80kg load bearing capacity

Large 330mm pneumatic stud tyres on rustproof poly rims.

Super-duty gearbox with enclosed gears for years of trouble-free use.



## ***Model 2170 T*** **Tow Behind** **BROADCAST SPREADER**

Same as the 2170, with a mounting to adapt to a ATV bike or mini-tractor.

Ideal for large areas and prolonged used.

Makes transition between areas of application very convenient.



## Model C24R *Professional* BROADCAST SPREADER



**ADVANCED SEED**

~~Unit 7, 87 Newlands Road Reservoir Vie~~

~~PO Box 501 Reservoir, 3073~~

Phone: 03-9462-0340

Fax: 03-9462-0275

Distributed By: